	Approved For Release 2003/11/19 : CIA-RDP8  CLASSIFICATION  CENTRAL INTELLIGENCE AGENCY  INFORMATION REPORT	25X1A 25X1 REPORT NO.
OUNTRY SUBJECT	East Germany Civil Air Defense Measures in East Germany	DATE DISTR. 2 April 1953 NO OF PAGES 1
PLACE ACQUIRED DATE OF INFO.	25X1A	NO. OF ENCLS. GLISTED BELOWS SUPPLEMENT TO REPORT NO.
THIS SOCUMENT CON OF THE BUILD STA AND 184, OF THE B ATION OF ITS CON- IS PROBIBLIED ON L	THIS IS USEN AFECTING THE RATIONAL DEFENTE THE SET OF THE PARTY OF THE SET OF	INEVALUATED INFORMATION

In the second half of 1952, civil air defense measures were carried out by Department F (fire police) of the Volkspolizei under the cover of an intensified fire protection campaign. Fire protection measures were checked weekly in all nationalized enterprises and administrative agencies. A voluntary factory fire brigade was established at the EKM Metallban Plant and the fire fighting equipment available at this plant was increased and supplemented. All attics of industrial buildings were cleared of lumber. The voluntary fire brigades in communities and factories were being trained under the supervision of Department F of the Volkspolizei which again was controlled by the VP Kreisamt (district office) concerned. After the administrative reform had been carried out in East Germany, the Kreis and local fire protection commissions intensified their activities. Once a month, the air raid warning installations were tested by officers of Department F. These activities were explained by the necessity of having air raid warning facilities in a working order in case of urgent need. However, trench shelters still available from World War II were levelled. No sir raid shelters were built nor were black-out materials manufactured.

25X1A

Comment: This is the first report on civilian air defense measures in East Germany. The information is believed to be credible.